

## Clinical Image

Open Access, Volume 3

# A sign of love from the thyroid

Elie Naous<sup>1,2\*</sup>; Tarek Smayra<sup>2,3</sup>; Angela Achkar<sup>1,2</sup>; Rita Medlej<sup>1,2</sup>

<sup>1</sup>Department of Internal Medicine, Endocrinology Division, Hotel Dieu de France Hospital, Beirut, Lebanon.

<sup>2</sup>Saint Joseph University, Beirut, Lebanon.

<sup>3</sup>Department of Radiology, Hotel Dieu de France, Beirut, Lebanon.

**\*Corresponding Author: Elie Naous**

Department of Internal Medicine, Endocrinology  
Division, Hotel Dieu de France Hospital, Beirut,  
Lebanon.

ORCID: 0000-0001-7755-8844

Email: elie-naous@hotmail.com

Received: Apr 28, 2022


Accepted: May 26, 2022

Published: Jun 02, 2022

Archived: www.jcimcr.org

Copyright: © Naous E (2022).

DOI: www.doi.org/10.52768/2766-7820/1867



**Figure 1:** Showing a heart shaped hypoechoic cyst containing a heart shaped colloid aggregation.

**Citation:** Naous E, Smayra T, Achkar A, Medlej R. A sign of love from the thyroid. J Clin Images Med Case Rep. 2022; 3(6): 1867.

### Description

A 41-year-old woman presented to our office, around valentine's day, complaining of cervical discomfort. On physical examination, a midline cervical mass was identified. A cervical ultrasonography (Figure 1a and 1b) showed a heart shaped hypoechogenic colloidal cyst (3.4 X 3.5 X 3.5 cm) in her left thyroid lobe containing a hyperechogenic heart shaped colloidal aggregation. A fine needle aspiration was performed, and 21 ml of colloidal liquid was removed. The patient's symptoms resolved soon after the procedure.

### Declarations

**Funding:** No funding was received to assist with the preparation of this manuscript.

**Conflicts of interest:** The authors declare that they have no conflicts of interest.

**Availability of data and material :** Not applicable.

**Code availability:** Not applicable